

# **Characters, Strings, Larger C Program organization**

Jinyang Li

# Characters

# How to represent text characters?

- How to associate bit patterns to integers?
  - base 2
  - 2's complement
- How to associate bit patterns to floats?
  - IEEE floating point representation (based on normalized scientific notation)
- How to associate bit patterns to characters?
  - by convention
  - ASCII, UTF

# ASCII: American Standard Code for Information Exchange

- Developed in 60s, based on the English alphabet
- use one byte (with MSB=0) to represent each character
- How many unique characters can be represented?

128

# ASCII TABLE

Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char	Decimal	Hex	Char
0	0	[NULL]	32	20	[SPACE]	64	40	@	96	60	`
1	1	[START OF HEADING]	33	21	!	65	41	A	97	61	a
2	2	[START OF TEXT]	34	22	"	66	42	B	98	62	b
3	3	[END OF TEXT]	35	23	#	67	43	C	99	63	c
4	4	[END OF TRANSMISSION]	36	24	\$	68	44	D	100	64	d
5	5	[ENQUIRY]	37	25	%	69	45	E	101	65	e
6	6	[ACKNOWLEDGE]	38	26	&	70	46	F	102	66	f
7	7	[BELL]	39	27	'	71	47	G	103	67	g
8	8	[BACKSPACE]	40	28	(	72	48	H	104	68	h
9	9	[HORIZONTAL TAB]	41	29	)	73	49	I	105	69	i
10	A	[LINE FEED]	42	2A	*	74	4A	J	106	6A	j
11	B	[VERTICAL TAB]	43	2B	+	75	4B	K	107	6B	k
12	C	[FORM FEED]	44	2C	,	76	4C	L	108	6C	l
13	D	[CARRIAGE RETURN]	45	2D	-	77	4D	M	109	6D	m
14	E	[SHIFT OUT]	46	2E	.	78	4E	N	110	6E	n
15	F	[SHIFT IN]	47	2F	/	79	4F	O	111	6F	o
16	10	[DATA LINK ESCAPE]	48	30	0	80	50	P	112	70	p
17	11	[DEVICE CONTROL 1]	49	31	1	81	51	Q	113	71	q
18	12	[DEVICE CONTROL 2]	50	32	2	82	52	R	114	72	r
19	13	[DEVICE CONTROL 3]	51	33	3	83	53	S	115	73	s
20	14	[DEVICE CONTROL 4]	52	34	4	84	54	T	116	74	t
21	15	[NEGATIVE ACKNOWLEDGE]	53	35	5	85	55	U	117	75	u
22	16	[SYNCHRONOUS IDLE]	54	36	6	86	56	V	118	76	v
23	17	[ENG OF TRANS. BLOCK]	55	37	7	87	57	W	119	77	w
24	18	[CANCEL]	56	38	8	88	58	X	120	78	x
25	19	[END OF MEDIUM]	57	39	9	89	59	Y	121	79	y
26	1A	[SUBSTITUTE]	58	3A	:	90	5A	Z	122	7A	z
27	1B	[ESCAPE]	59	3B	;	91	5B	[	123	7B	{
28	1C	[FILE SEPARATOR]	60	3C	<	92	5C	\	124	7C	
29	1D	[GROUP SEPARATOR]	61	3D	=	93	5D	]	125	7D	}
30	1E	[RECORD SEPARATOR]	62	3E	>	94	5E	^	126	7E	~
31	1F	[UNIT SEPARATOR]	63	3F	?	95	5F	_	127	7F	[DEL]

# C exercise 1: tolower

```
// tolower returns the corresponding
// lowercase character for c if c is an
// uppercase letter. Otherwise, it returns c.
char tolower(char c) {

}

int main() {
    char c = tolower('A');
    printf("resulting c is %c\n", c);
}
```

# C exercise 1: tolower

```
// tolower returns the corresponding
// lowercase character for c if c is an
// uppercase letter. Otherwise, it returns c.
char tolower(char c) {

    // test if c is an uppercase letter
    if (c < 'A' || c > 'Z') {
        return c;
    }

}
```

# C exercise 1: tolower

```
// tolower returns the corresponding
// lowercase character for c if c is an
// uppercase letter. Otherwise, it returns c.
char tolower(char c) {

    // test if c is an uppercase letter
    if (c < 'A' || c > 'Z') {
        return c;
    }

    return c + 'a' - 'A';
}
```

C's standard library includes  
tolower, toupper



## C exercise 2: toDigit

```
// toDigit returns the corresponding integer for c
// if c is a valid digit character, e.g '1', '2',
// Otherwise, it returns -1.
int toDigit(char c) {

}

int main() {
    int d = toDigit('8');
    printf("int is %d, multiply-by-2 %d\n", d, 2*d);
}
```

## C exercise 2: toDigit

```
// toDigit returns the corresponding integer for c
// if c is a valid digit character, e.g '1', '2',
// Otherwise, it returns -1.
int toDigit(char c) {
    // test if c is a valid character
    if (c < '0' || c > '9') {
        return -1;
    }
}

int main() {
    int d = toDigit('8');
    printf("int is %d, multiply-by-2 %d\n", d, 2*d);
}
```

## C exercise 2: toDigit

```
// toDigit returns the corresponding integer for c
// if c is a valid digit character, e.g '1', '2',
// Otherwise, it returns -1.
int toDigit(char c) {
    // test if c is a valid character
    if (c < '0' || c > '9') {
        return -1;
    }
    return c - '0';
}
int main() {
    int d = toDigit('8');
    printf("int is %d, multiply-by-2 %d\n", d, 2*d);
}
```

# The Modern Standard: UniCode

- ASCII can only represent 128 characters
  - How about Chinese, Korean, all of the worlds languages? Symbols? Emojis?
- Unicode standard represents >135,000 characters

<a href="#">U+1F600</a>		grinning face
<a href="#">U+1F601</a>		beaming face with smiling eyes
<a href="#">U+1F602</a>		face with tears of joy
<a href="#">U+1F923</a>		rolling on the floor laughing
<a href="#">U+1F603</a>		grinning face with big eyes

# UTF-8

- UTF-8 is one encoding form for Unicode
  - use 1, 2, or 4 byte to represent a character
  - Unicode for ASCII characters have the same ASCII value → UTF-8 one byte code is the same as ASCII
- C has no primitive support for Unicode

# C Strings

# Strings

- String is represented as an array of chars.
  - Array has no space to encode its length.
- How to determine string length?
  - explicitly pass around an integer representing length

```
// tolower_string turns every character in character array s
// into lower case
void tolower_string(char *s, int len) {
    for (int i = 0; i < len; i++) {
        s[i] = tolower(s[i]);
    }
}
```

# Strings

- String is represented as an array of chars.
  - Array has no space to encode its length.
- How to determine string length?
  - explicitly pass around an integer representing length
  - C string stores a NULL character to mark the end (by convention)

```
void tolower_string(char *s) {  
  
  
  
  
  
  
}
```



# Strings

- String is represented as an array of chars.
  - Array has no space to encode its length.
- How to determine string length?
  - explicitly pass around an integer representing length
  - C string stores a NULL character to mark the end (by convention)


```
void tolower_string(char *s) {  
    int i = 0;  
    while (s[i] != '\0') {  
        s[i] = tolower(s[i]);  
        i++;  
    }  
}
```

# Copying string?

does this make a copy of "hi"?

```
char s[4] = "hi";  
char *h;  
h = s;  
h[0] = 'H';
```

```
printf("s=%s h=%s\n", s, h);
```



# Copying string?

does this make a copy of "hi"?

```
char s[4] = "hi";
```

```
char h[4];
```

```
h = s;
```

```
h[0] = 'H';
```

```
printf("s=%s h=%s\n", s, h);
```

# Copying string

```
void strcpy(char *dst, char *src)
{
}

```

```
int main()
{
    char s[4] = "hi";
    char h[4];
    strcpy(h, s);
    h[0] = 'H';

    printf("s=%s h=%s\n", s, h);
}

```

# Copying string

```
void strcpy(char *dst, char *src) {  
    int i = 0;  
    while (src[i] != '\0') {  
        dst[i] = src[i];  
        i++;  
    }  
}
```

strcpy is included in C std library.

```
int main() {  
    char s[4] = "hi";  
    char h[4];  
    strcpy(h, s);  
    h[0] = 'H';  
  
    printf("s=%s h=%s\n", s, h);  
}
```

# Copying string

```
void strcpy(char *dst, char *src) {
    int i = 0;
    while (src[i] != '\0') {
        dst[i] = src[i];
        i++;
    }
}
```

```
int main() {
    char s[4] = "hi";
    char h[2];
    strcpy(h, s);
    h[0] = 'H';

    printf("s=%s h=%s\n", s, h);
}
```

Results in out-of-bound write!  
Buffer overflow!

# Copying string

```
void strncpy(char *dst, char *src, int n) {  
    int i = 0;  
    while (src[i] != '\0' && i < n) {  
        dst[i] = src[i];  
        i++;  
    }  
}
```

strncpy is included in C std library.

```
int main() {  
    char s[4] = "hi";  
    char h[2];  
    strncpy(h, s, 2);  
    h[0] = 'H';  
  
    printf("s=%s h=%s\n", s, h);  
}
```

# A different way of initializing string

...

```
char s1[4] = "hi";
```

```
char *s2 = "bye";
```

```
s1[0] = 'H'; ← OK
```

```
s2[0] = 'B'; ← Segmentation fault (bus error)
```


```
printf("s1=%s s2=%s\n", s1, s2);
```



# A different way of initializing string

```
char s1[4] = "hi";  
char *s2 = "bye";  
s1[0] = 'H';  
s2[0] = 'B';
```

```
printf("s1=%s s2=%s\n", s1, s2);
```



# The Atoi function


```
// atoi returns the integer
// corresponding to the string of digits
int atoi(char *s)
{

}

int main()
{
    char *s= "123";
    printf("integer is %d\n", atoi(s));
}
```

# The Atoi function

```
// atoi returns the integer
// corresponding to the string of digits
int atoi(char *s) {
    int result = 0;
    int i = 0;
    while (s[i] >= '0' && s[i] <= '9') {
        result = result * 10 + (s[i] - '0');
        i++;
    }
    return result;
}
```




# Array of pointers

```
char* names[3] = {  
    "alice",  
    "bob",  
    "clark"  
};
```

```
char **namep;  
namep = names;
```

```
printf("name is %s", namep[1]);
```



# The most commonly used array of pointers: argv

```
int main(int argc, char **argv)
{
    for (int i = 0; i < argc; i++) {
        printf("%s\n", argv[i]);
    }
}
```

```
$ ./a.out 1 2 3
./a.out 1 2 3
```

 argv[0] is the name of the executable

# **Organization of large C programs**

# Linked list: one big file

```
typedef struct {
    int val;
    struct node *next;
}node;

node* insert(node *head, int val) {
    node *new_head = (node *)malloc(sizeof(node));
    new_head->next = head;
    new_head->val = val;
}

int main() {
    node *head = NULL;
    for (int i = 0; i < 3; i++)
        head = insert(head, i);
}
```

list.c

What if another program also wants to use this linked list implementation?

# linked list: multiple files

```
typedef struct {  
    int val;  
    struct node *next;  
}node;  
node *insert(node *head, int val)
```

header file includes  
type definitions and  
exported function  
signatures

If not included, gcc  
does have info on the  
node type to compile  
list.c

list.h

```
#include "list.h"  
node* insert(node *head, int val) {  
    node *new_head = (node *)malloc(sizeof(node));  
    new_head->next = head;  
    new_head->val = val;  
}
```

list.c

```
$ gcc -c list.c
```

← generate object file list.o

```
$ gcc list.c
```

← will not work since main() is not defined



# linked list: multiple files

```
#include "list.h"
int main() {
    node *head = NULL;
    for (int i = 0; i < 3; i++)
        head = insert(head, i);
}
```

test1.c

```
#include "list.h"
int main() {
    node *head;
    for (int i = 0; i < 3; i++)
        head=insert(head, i);
}
```

test2.c

```
$ gcc -c test1.c
```

← generate object file test1.o

```
$ gcc test1.o list.o
```

← link test1.o and list.o to form executable a.out

```
$ ./a.out
```

# Exporting global variables

```
typedef struct {
    int val;
    struct node *next;
}node;
node *insert(node *head, int val);
```

list.h

```
#include "list.h"
int debug;
node* insert(node *head, int val) {
    ...
    if (debug > 0)
        printf("inserted val %d\n", val);
}
```

list.c

```
#include "list.h"
int main() {
    debug = 1;
    ...
}
```

test1.c

# Exporting global variables

```
typedef struct {
    int val;
    struct node *next;
}node;
extern int debug;
node *insert(node *head, int val);
```

Declares debug variable but does not allocate space

list.h

```
#include "list.h"
int debug;
node* insert(node *head, int val) {
    ...
    if (debug > 0)
        printf("inserted val %d\n", val);
}
```

list.c

```
#include "list.h"
int main() {
    debug = 1;
    ...
}
```

test1.c

# C does not have explicit namespace

- Scope of a global variable / function by default is across all files (linked together)
- To restrict the scope of a global variable / function to this file only, prefix with “static” keyword

```
#include "list.h"
static int debug;
static node* insert(node *head, int val) {
    ...
    if (debug > 0)
        printf("inserted val %d\n", val);
}
```

No other files can use the debug variable and insert function

list.c

# static prefixing local variables means different things

- Normal local variables are de-allocated upon function exit
- Static local variables are not de-allocated
  - offers private, persistent storage across function invocation

```
node* insert(node *head, int val) {  
    static int n_inserts = 0;  
    ...  
    n_inserts++;  
    printf("number of inserts %d\n", n_inserts);  
}
```

initialized once,  
never deallocated  
(like a global  
variable, except  
with local scope)

# C standard library

<assert.h> assert

<ctype.h> isdigit(c), isupper(c), isspace(c), tolower(c), toupper(c) ..

<math.h> log(f) log10(f) pow(f, f), sqrt(f), ...

<stdio.h> fopen, fclose, fread, fwrite, printf, ...

<stdlib.h> malloc, free, atoi, rand

<string.h> strlen, strcpy, strcat, strcmp

Section 3 of  
manpage is  
dedicated to  
C std library

To read manual, type  
man 3 strlen

# The C pre-processor

- All the hashtag directives are processed by C pre-processor **before** compilation
- `#include <stdio.h>`
  - insert text of included file in the current file
  - with `<...>` , preprocessor searches system path for specified file
  - with `"..."` , preprocessor searches local directory as well as system path

# C Macros

- #define name replacement\_text

```
#define NITER 10000
```

It's better to write:  
static const int niter = 10000;

```
int main()  
    for (int i = 0; i < NITER; i++) {  
        ....  
    }  
}
```



# C Macros

- Macro can have arguments
- Macro is NOT a function call

```
#define SQUARE(X) X*X
```

```
a = SQUARE(2);
```

```
a = 2*2;
```

```
b = SQUARE(i+1);
```

```
b = i+1*i+1;
```

```
c = SQUARE(i++);
```

# C Macros

- Macros can have arguments
- Macro is NOT a function call

```
#define SQUARE(X) (X)*(X)
```

```
a = SQUARE(2);
```

```
a = (2)*(2);
```

```
b = SQUARE(i+1);
```

```
b = (i+1)*(i+1);
```

```
c = SQUARE(i++);
```

```
c = (i++)*(i++);
```



Macro is hard to debug, avoid it if you can

